## IN THE CLAIMS

Kindly amend claims 1, 2, 8, and 9-17 as follows. It is respectfully submitted that the changes to claims 1, 2, 8 and 9-17 involve grammatical or formatting errors and, therefore, are unrelated to the patentability of these or other claims.

The following is a complete listing of revised claims with a status identifier in parenthesis.

## LISTING OF CLAIMS

- 1. (Currently Amended) A wireless communication system, comprising:
  - a plurality of antennas for use by one receiver;
- a scanner adapted to scan through the plurality of antennas and provide a signal received from each of the plurality of antennas to the receiver and to impart Doppler modulation onto a received signal, wherein one or more of the received signals from the antennas are severely degraded; and
- a receiver having direction finding means for determining the bearing of a received signal in accordance with [[the]] <u>a</u> phase thereof,

wherein said receiver is configured to eliminate multipath channel impairments <u>caused at least by the severely degraded signals</u>.

2. (Currently Amended) A wireless communication system according to claim 1; wherein a scan rate of the scanner for scanning each of the [[15]] plurality of antennas is at least 100 hertz.

- 3. (Original) A wireless communication system according to claim 1; wherein a scan rate of the scanner for the plurality of antennas is at least 2000 hertz.
- 4. (Original) A wireless communication system according to claim 1; wherein the plurality of antennas are equidistant from a center point.
- 5. (Original) A wireless communication system according to claim 4; wherein the plurality of antennas are spaced equally apart around a circumference of a circle formed about said center point.
- 6. (Original) A wireless communication system according to claim l; wherein the plurality of antennas comprises at least three antennae.
- 7. (Original) A wireless communication system according to claim 1; wherein the scanner continuously scans and connects each of the plurality of antennae in turn to the receiver for a substantially equal period of time.
- 8. (Currently Amended) A method for communication in a wireless communication environment, comprising:

providing a common transceiver with a plurality of antennas;

continuously scanning through the said plurality of antennas for a substantially fixed period of time by connecting each of the plurality of antennas to a receiver configured to eliminate multipath channel impairments caused at least by severely degraded received signal samples in a substantially stationary wireless communication environment and to impart Doppler modulation onto a received signal;

determining the bearing of the received signal in accordance with [[the]]  $\underline{a}$  phase thereof; and

operating the plurality of antennas as a phased array during a transmit mode.

- 9. (Currently Amended) A method for communication in a wireless communication environment according to claim 8; wherein the wireless communication environment comprises a substantially quasi-stationary wireless communication environment.
- 10. (Currently Amended) A method for communication in a wireless communication environment according to elaim 8 claim 9; wherein the quasistationary wireless communication environment comprises a wireless local area network.

- 11. (Currently Amended) A method for communication in a wireless communication environment according to elaim 8 claim 9; wherein the quasistationary wireless communication environment is a cordless telephone.
- 12. (Currently Amended) A method for communication in a wireless communication environment according to elaim 8 claim 9; wherein the quasistationary wireless communication environment is a cordless modem.
- 13. (Currently Amended) A method for communication in a wireless communication environment according to elaim 8 claim 9; wherein the quasistationary wireless communication environment is a wireless local loop.
- 14. (Currently Amended) A method for communication in a wireless communication environment according to elaim 8 claim 9; wherein the quasistationary wireless communication environment is a cellular telephone.
- 15. (Currently Amended) A method for communication in a wireless communication environment according to elaim 8 claim 9; wherein the quasistationary wireless communication environment is a PCS telephone.

- 16. (Currently Amended) A method for communication in a wireless communication environment according to <u>claim 8 claim 9</u>; wherein the <u>quasistationary</u> wireless communication environment is a trunked mobile radio system.
- 17. (Currently Amended) A method for communication in a wireless communication environment according to claim 8 claim 9; wherein the quasistationary wireless communication environment is a mobile satellite communications system.
- 18. (Original) A method for communication in a wireless communication environment according to claim 8; wherein the step of continuously scanning connects each of the plurality of antennas to the receiver at least 100 times per second.
- 19. (Previously Presented) A method for communication in a wireless communication environment according to claim 8; wherein the step of continuously scanning connects each of the plurality of antennas to the receiver at least 2000 times per second.

- 20. (Original) A method for communication in a wireless communication environment according to claim 8; further comprising the step of locating each of the plurality of antennas substantially equidistant from a center point.
- 21. (Original) A method for communication in a wireless communication environment according to claim 20; wherein the plurality of antennas are spaced equally apart around a circumference of a circle formed about the center point.